Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	US-20040012615-A1.did. OR US-20040049533-A1.did. OR US-20040049419-A1.did. OR US-20040080538-A1.did. OR US-20040192386-A1.did. OR US-20040192281-A1.did. OR US-20040253975-A1.did. OR US-20060107227-A1.did.	US-PGPUB; USPAT	AND	ON	2007/05/25 15:33
S2	2	S1 (timed)	US-PGPUB; USPAT	AND	ON ··	2007/05/25 15:33
S3	0	S1 timed text display ((subscriber adj identity adj module) OR (sim)) application specifying duration displayed prior permitting clear setting value data object command displaying receiving specified elapsed executing parameter disregarding following letters numbers words icons images pictures readable medium executed perform apparatus memory configured store specify presenting	US-PGPUB; USPAT	AND	ON	2007/05/25 15:34
S4	0	S1 ((subscriber adj identity adj module) OR (sim)) (text with duration) display\$3 tim\$3	US-PGPUB; USPAT	AND	ON	2007/05/25 15:35
S5	0	S1 ((subscriber adj identity adj module) OR (sim)) (text with (duration with tim\$3)) display\$3	US-PGPUB; USPAT	AND	ON	2007/05/25 15:35
S6	0	S1 ((subscriber adj identity adj module) OR (sim)) (text with (duration or tim\$3)) display\$3	US-PGPUB; USPAT	AND	ON	2007/05/25 15:35
S7	280	((subscriber adj identity adj module) OR (sim)) ((text with (duration or tim\$3)) same display\$3)	US-PGPUB; USPAT	AND	ON	2007/05/25 15:36
S8	57	((subscriber adj identity adj module) or (sim adj module)) ((text with (duration or tim\$3)) same display\$3)	US-PGPUB; USPAT	AND	ON	2007/05/25 15:37
S9	19	((subscriber adj identity adj module) or (sim adj module)) ((text with (duration or tim\$3)) same display\$3) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 15:39
S10	16	((subscriber adj identity adj module) or (sim adj module)) ((text with (duration or tim\$3)) same display\$3) @ad<"20030721" (message)	US-PGPUB; USPAT	AND .	ON	2007/05/25 15:39

						•
S11	7	((subscriber adj identity adj module) or (sim adj module)) ((text with (duration or tim\$3)) same display\$3) @ad<"20030721" (message)	US-PGPUB	AND	ON	2007/05/25 15:40
S12	60	((subscriber adj identity adj module) or (sim adj module)) (((message or text)with (duration or tim\$3)) same display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:40
S13	29	((subscriber adj identity adj module) or (sim adj module)) (((message or text) near3 (duration or tim\$3)) same display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:40
S14	10	((subscriber adj identity adj module) or (sim adj module)) (((message or text) near3 (duration or tim\$3)) with display\$3) @ad<"20030721"	US-PGPÜB	AŅD	ON	2007/05/25 15:41
S15	0	((subscriber adj identity adj module) or (sim adj module)) (((message or text) near3 (duration)) with display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:41
S16	0	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration)) with display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:41
S17	1	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration)) same display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:42
S18	16	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration)))(display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:47
S19	. 0	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration))) with clear\$3 (display\$3) @ad<"20030721"	US-PGPUB	AND .	ON	2007/05/25 15:48
S20	1	((subscriber adj identity adj module) or (sim adj module)) (((message or text) with (duration)) same clear\$3) (display\$3) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:50

S21	2	((subscriber adj identity adj module) or (sim)) (((message or text) with (duration)) same clear\$3) (display\$3) @ad<"20030721"	US-PGPUB	AND .	ON	2007/05/25 15:51
S22	57	((subscriber adj identity adj module) or (sim)) ((message or text) with (duration)) @ad<"20030721"	US-PGPUB	AND	ON .	2007/05/25 15:55
S23		((subscriber adj identity adj module) or (sim)) ((message or text) with (duration)) ((DISPLAY adj TEXT) with command) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:54
S24	0	((subscriber adj identity adj module) or (sim)) ((message or text) same (duration)) ((DISPLAY adj TEXT) with command) @ad<"20030721"	US-PGPUB	AND	ON	2007/05/25 15:55
S25	1	((subscriber adj identity adj module) or (sim)) ((message or text) same (duration)) ((DISPLAY adj TEXT) with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 15:56
S26	9	((subscriber adj identity adj module) or (sim)) ((message or text) same (duration)) (DISPLAY adj TEXT) (command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 15:57
S27	9	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text) same (duration)) (DISPLAY adj TEXT) (command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 15:57
S28	. 2	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text) same (duration)) (DISPLAY adj TEXT) (display with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 15:58
S29	2	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text)) (duration with display) (DISPLAY adj TEXT) (display with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 15:58

S30	2	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text)) (duration with display\$3) (DISPLAY adj TEXT) (display with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:04
S31	0	((subscriber adj (identity or identifier) adj module) or (sim)) ((message or text)) (duration with display\$3) ((DISPLAY adj TEXT) adj command) (display with command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:04
S32	1	((subscriber adj (identity or identifier) adj module) or (sim)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 21:35
S33	2	(duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:05
S34	2	(user duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON .	2007/05/25 16:08
S35	2	(user duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:08
S36	6	((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:10
S37	4458	((DISPLAY adj TEXT) command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:10
S38	13	((DISPLAY adj TEXT) command) GSM (GET adj INPUT) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:11
S39	13	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:11
S40	13	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display\$3 @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:13
S41 ⁻	13	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display\$3 @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:14
S42	13	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display\$3 (text or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:14
S43	0	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display\$3 duriation @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:14

		•				
S44	8	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display\$3 duration @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:15
S45	0	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display\$3 (duration same display\$3) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:15
S46	. 8	(DISPLAY adj TEXT) command GSM (GET adj INPUT) user display\$3 duration @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:16
S47	12	(DISPLAY adj TEXT) command GSM display\$3 with duration @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:16
S48	. 12	(DISPLAY adj TEXT) command GSM (display\$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:17
S49	0	((DISPLAY adj TEXT) same2 command) GSM (display\$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:17
S50	0	((DISPLAY adj TEXT) same2 command) SIM (display\$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:17
S51	0	((DISPLAY adj TEXT) same2 command) (SIM with application) (display\$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:17
S52	0	((DISPLAY adj TEXT) same command) (SIM with application) (display\$3 with duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:17
S53 .	0	((DISPLAY adj TEXT) same command) (SIM with application) (display\$3 same duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:17
S54	0	((DISPLAY adj TEXT) command) (SIM with application) (display\$3 same duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:17
S55	5	((DISPLAY adj TEXT) command) (SIM with application) (display\$3 duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:19
S56	2	((DISPLAY adj TEXT) with command) (SIM with application) (display\$3 duration) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:20
S57	. 0	((DISPLAY adj TEXT) with command) (SIM with application) (display\$3 duration) "Phase 2" @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:20

S58	2	((DISPLAY adj TEXT) with command) (SIM with application) (display\$3 duration) "Phase 2+" @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:21
S59	7	((DISPLAY adj TEXT) command) (SIM with application) (display\$3) "Phase 2+" @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:21
S60	7	((DISPLAY adj TEXT) command) (SIM with application) (display\$3) "Phase 2+" "text" @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:22
S61	7	((DISPLAY adj TEXT) command) (SIM with application) (display\$3) "Phase 2+" ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:22
S62	3	((DISPLAY adj TEXT) command) (SIM with application) (display\$3). ab. (display\$3) "Phase 2+" ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:51
S63	0	((DISPLAY adj TEXT) command) (SIM with application) modal (display\$3).ab. (display\$3) "Phase 2+" ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:53
S64	0	((DISPLAY adj TEXT) command) (SIM with application) modal (display\$3) "Phase 2+" ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:53
S65	0	((DISPLAY adj TEXT) command) (SIM with application) modal (display\$3) ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:53
S66	37	((DISPLAY adj TEXT) command) (SIM with application) (display\$3) ("text" or message) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:53
S67	9	((DISPLAY adj TEXT) command) (SIM with application) (display\$3) ("text" or message) clear @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:54
S68	82	((DISPLAY adj TEXT) command) ((subscriber adj identity adj module) or (sim)) (display\$3) ("text" or message) clear @ad<"20030721"	US-PGPUB; USPAT	AND .	ON	2007/05/25 16:55
S69	6	((DISPLAY adj TEXT) command) ((subscriber adj identity adj module) or (sim)) (display\$3) ("text" or message) clear modal @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 16:56

S70		((DISPLAY adj TEXT) command) ((subscriber adj identity adj module) or (sim)) (display\$3) ("text" or message) (clear adj text) @ad<"20030721"	US-PGPUB; USPAT	AND .	ON .	2007/05/25 17:06
S71	2	((DISPLAY adj TEXT) command) ((subscriber adj identity adj module) or (sim)) (duration with text) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 17:06
S72	0	((DISPLAY adj TEXT) OR displaytext) (command) ((subscriber adj identity adj module) or (sim)) (duration with text) (SELECT adj ITEM) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 17:07
S73	0	((DISPLAY adj TEXT) OR displaytext) (command) ((subscriber adj identity adj module) or (sim)) (duration with text) (SELECT adj ITEM) (GET adj INPUT) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 17:07
S74	9	((DISPLAY adj TEXT) OR displaytext) (command) ((subscriber adj identity adj module) or (sim)) (SELECT adj ITEM) (GET adj INPUT) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 17:08
S75	1	((subscriber adj (ident\$6 or identifier) adj module) or (sim)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 21:35
S76	1	((subscriber adj (ident\$6) adj module) or (sim)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 21:35
S77	1	((subscrib\$6 adj (ident\$6) adj module) or (sim)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 21:35
S78	1	((subscrib\$6 adj (ident\$6) adj module) or (SIM.u/c.)) (duration) ((DISPLAY adj TEXT) adj command) @ad<"20030721"	US-PGPUB; USPAT	AND	ON	2007/05/25 22:00